



ZAK-mont d.o.o.

## PANELNE OGRADE

---



ZAK-mont d.o.o.

Tvrtka **ZAK-mont d.o.o.**, iz Rijeke, nudi prvoklasne, najkvalitetnije panelne ograde direktno iz renomirane **talijanske tvornice** sa dugogodišnjim iskustvom u proizvodnji te certifikatima kvalitete i sigurnosti.

Nudimo Vam povoljne cijene uz visoki standard kvalitete!

Stojimo Vam na usluzi za sva pitanja i nedoumice, a za brzu i kvalitetnu montažu imamo osposobljeno osoblje.

Kontakt:

+385 98 752 199

prodaja.zakmont@gmail.com






ZAK-mont d.o.o.

## PANELNE OGRADE

# NAŠE SLIKE PROIZVODA I BOJA !!






ZAK-mont d.o.o.


## PANELNE OGRADE

# MEDIUM 2000 - ANTRACIT (S EFEKTOM)



MREŽA: 50 x 200 H mm

ŽICA: Ø 5,00 ± 0,30 mm



### završna obrada

vruće cinčano +  
nanotehnologija + poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| M08     | 1020    | n° 2          |
| M09     | 1220    | n° 2          |
| M10     | 1420    | n° 2          |
| M11     | 1720    | n° 3          |
| M12     | 1920    | n° 3          |


Dužina panela : 2000 mm



ZAK-mont d.o.o.


# PANELNE OGRADE

## STUPIĆ - ANTRACIT (S EFEKTOM)



POLIPROP. PLOČICA SA VIJKOM

OVRATNIK DVOSTRUKI / JEDNOSTR. SA VIJKOM



POLIPROP. PLOČICA SA VIJKOM

OVRATNIK DVOSTRUKI / JEDNOSTR. SA VIJKOM

\* Ogladni primjer stupića i kopči

**OKRUGLI Ø 48 mm**

**KVADRATNI 50x50 mm**

završna obrada

vruće cinčano + nanotehnologija + poliester

### VRSTE PRIHVATNIH KOPČI

- Polipropilenska pločica (crna) sa vijkom

- ovratnik (antracit) dvostruki / jednostruki sa vijkom

| šifra | visina mm | šifra | visina mm |
|-------|-----------|-------|-----------|
| MT11  | 1100      | QA07  | 1100      |
| MT12  | 1300      | QA08  | 1300      |
| MT13  | 1500      | QA09  | 1500      |
| MT14  | 1750      | QA10  | 1800      |
| MT15  | 2000      | QA11  | 2000      |
| MT16  | 2300      | QA12  | 2300      |
| MT17  | 2600      |       |           |




ZAK-mont d.o.o.

## PANELNE OGRADE

# MEDIUM 2500 - SIVA (ra1 7016)



MREŽA: 50 x 200 H mm  
ŽICA: Ø 5,00 ± 0,30 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| M40     | 1020    | n° 2          |
| M41     | 1220    | n° 2          |
| M42     | 1420    | n° 2          |
| M45     | 1520    | n° 3          |
| M43     | 1720    | n° 3          |
| M44     | 1920    | n° 3          |


Dužina panela :  
2500 mm



ZAK-mont d.o.o.


## PANELNE OGRADE

# STUPIĆ - SIVA (RAL 7016)



POLIPROP. PLOČICA SA VIJKOM

OVATNIK DVOSTRUKI / JEDNOSTR. SA VIJKOM



\* Ogladni primjer stupića i kopči

### OKRUGLI Ø 48 mm

#### završna obrada

vruće cinčano + nanotehnologija + poliester

#### VRSTE PRIHVATNIH KOPČI

- Polipropilenska pločica (crna) sa vijkom
- ovratnik (sivi) dvostruki / jednostruki sa vijkom

| šifra | visina mm |
|-------|-----------|
| GR11  | 1100      |
| GR12  | 1300      |
| GR13  | 1500      |
| GR14  | 1750      |
| GR15  | 2000      |
| GR16  | 2300      |
| GR17  | 2600      |

### KVADRATNI - KLIK - (bez kopči)

#### završna obrada

vruće cinčano + nanotehnologija + poliester

| šifra     | visina mm |
|-----------|-----------|
| TEV G 01  | 1100      |
| TEV G 02  | 1300      |
| TEV G 03  | 1500      |
| TEV G 03A | 1600      |
| TEV G 04  | 1800      |
| TEV G 05  | 2000      |
| TEV G 06  | 2300      |
| TEV G 07  | 2500      |



ZAK-mont d.o.o.


## PANELNE OGRADE

# MEDIUM 2000 - ZELENA



MREŽA: 50 x 200 H mm

ŽICA: Ø 5,00 ± 0,30 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| M01     | 620     | n° 2          |
| M02     | 820     | n° 2          |
| M03     | 1020    | n° 2          |
| M04     | 1220    | n° 2          |
| M05     | 1420    | n° 2          |
| M06     | 1720    | n° 3          |
| M07     | 1920    | n° 3          |

Dužina panela :  
2000 mm




ZAK-mont d.o.o.

## PANELNE OGRADE

# MEDIUM 2500 - ZELENA

MREŽA: 50 x 200 H mm

ŽICA: Ø 5,00 ± 0,30 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| M13     | 1020    | n° 2          |
| M14     | 1220    | n° 2          |
| M15     | 1420    | n° 2          |
| M18     | 1520    | n° 3          |
| M16     | 1720    | n° 3          |
| M17     | 1920    | n° 3          |

Dužina panela :  
2500 mm






ZAK-mont d.o.o.

## PANELNE OGRADE

# CLASSIC 2000 - ZELENA

MREŽA: 55 x 200 H mm

ŽICA: Ø 4,00 ± 0,20 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| CL01    | 1020    | n° 2          |
| CL02    | 1220    | n° 2          |
| CL03    | 1420    | n° 2          |
| CL04    | 1720    | n° 3          |
| CL05    | 1920    | n° 3          |

Dužina panela :  
2000 mm




ZAK-mont d.o.o.

## PANELNE OGRADE

# CLASSIC 2500 - ZELENA

MREŽA: 55 x 200 H mm

ŽICA: Ø 4,00 ± 0,20 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| CL11    | 1020    | n° 2          |
| CL12    | 1220    | n° 2          |
| CL13    | 1520    | n° 3          |
| CL14    | 1720    | n° 3          |
| CL15    | 1920    | n° 3          |

Dužina panela :  
2500 mm



ZAK-mont d.o.o.


## PANELNE OGRADE

# HYBRID 2500 - ZELENA

MREŽA: 50 x 200 H mm

ŽICA vertikalno: Ø 4,00 ± 0,20 mm

ŽICA horizontalno: Ø 4,00 ± 0,20 mm



### završna obrada

vruće cinčano +  
nanotehnologija +  
poliester

| REF.BR. | H<br>mm | V<br>ojačanje |
|---------|---------|---------------|
| MH01    | 1020    | n° 2          |
| MH02    | 1220    | n° 2          |
| MH03    | 1520    | n° 3          |
| MH04    | 1720    | n° 3          |
| MH05    | 1920    | n° 3          |



Dužina panela :  
2500 mm



ZAK-mont d.o.o.

## PANELNE OGRADE

# STUPIĆ - ZELENI



\* Ogledni primjer stupića i kopči

**OKRUGLI Ø 48 mm**

**KVADRATNI 50x50 mm**

**KVADRATNI - KLIK -  
(bez kopči)**

završna obrada

vruće cinčano + nanotehnologija + poliester

završna obrada

vruće cinčano + nanotehnologija + poliester

### VRSTE PRIHVATNIH KOPČI

- Polipropilenska pločica (zelena) sa vijkom

- ovratnik (zeleni) dvostruki / jednostruki sa vijkom

| šifra | visina mm | šifra | visina mm |
|-------|-----------|-------|-----------|
| MT01  | 1100      | QV01  | 1100      |
| MT02  | 1300      | QV02  | 1300      |
| MT03  | 1500      | QV03  | 1500      |
| MT04  | 1750      | QV04  | 1800      |
| MT05  | 2000      | QV05  | 2000      |
| MT06  | 2300      | QV06  | 2300      |
| MT07  | 2600      |       |           |

| šifra  | visina mm |
|--------|-----------|
| TEV01  | 1100      |
| TEV02  | 1300      |
| TEV03  | 1500      |
| TEV03A | 1600      |
| TEV04  | 1800      |
| TEV05  | 2000      |
| TEV06  | 2300      |
| TEV07  | 2500      |